



G&G ARMAMENT
AIRSOFT GUNS & ACCESSORIES

TAIWAN

Sales Department : sales@guay2.com / b2b@guay2.com

Support Department : support@guay2.com

CHANGHUA
Manufacturing
and R&D center

TEL : +886-4-798-9000 FAX : +886-4-798-9900


Address : 1F, No.999, Zhonghua Rd, Shengan Township,
Changhua County 50955, Taiwan(R.O.C.)

TAIPEI

TEL : +886-2-2692-2000 FAX : +886-2-2692-4000

Address : 11F-3, No.27, Lane169, Kangning St.
Shijr City, Taipei County 22180, Taiwan(R.O.C.)

Dealer



USA

Sales Department : 101techusa@gmail.com

Support Department : 101techusa@gmail.com

Address : 1122 Coiner Court. City of
Industry, CA 91748

TEL : (1) 626.581.0101

FAX : (1) 626.581.1011

CATALOGUE



2011'

Cover story
"Show Yourself" Photographic competition
Igor Koziorowski / Poland
Copyright©2011 G&G ARMAMENT



G&G ARMAMENT
AIRSOFT GUNS & ACCESSORIES

www.GUAY2.com

100% Made in Taiwan



YOU CAN BUY OUR PRODUCTS
JUST ABOUT ANYWHERE
IN THE WORLD



G&G ARMAMENT
AIRSOFT GUNS & ACCESSORIES

TOP TECH

ADVANCED ▲



COMBAT
MACHINE

INTERMEDIATE ■



Canada



USA



Ireland/ U.K./ Denmark/ Estonia

France/ Belgium/ Germany/ Czech / Poland

Switzerland/ Austria/ Hungary/ Romania

Portugal/ Spain/ Italy/ Slovenia/ Croatia



Venezuela



Brazil

chile



Norway/ Sweden/ Finland



Canadian Island/ Greece/ Turkey

South Africa



Russia



Lithuania/ Ukraine



Slovakia



Moldova



Bulgaria/ Israel



Thailand



Hong Kong



Korea



Japan



Taiwan



Philippines



Indonesia



New Zealand





G&G ARMAMENT
AIRSOFT GUNS & ACCESSORIES

**GUN
TESTING
AREA**

Contents

- 01 Contents
- 03 Warning
- 05 High Quality Gear Box
- 06 New Blow Back Pneumatic System / Patent
- 20 Rechargeable Tracer Unit /
Trinity Hi-Speed AC/DC Charger
- 21 G&G Promotional Materials
- 90 Transparent Version
- 91 OEM / ODM
- 93 Exciting 2011 New Models from G&G
- 95 High Precision BB Pellet

01



G&G ARMAMENT
AIRSOFT GUNS & ACCESSORIES

100% Made in Taiwan
Manufactured by G&G ARMAMENT

www.GUAY2.com

Metal Ver. **AIRSOFT**

TOP TECH

ADVANCED



- | | |
|--|--|
| 07 T418 / T418 Light | 57 L85 A1 / L85 A2 |
| 11 GR16 Carbine | 59 L85 Carbine / L85 AFV |
| 11 GR16 Carbine Light | 45 FS51 Folding Stock |
| 12 GR16 Ranger | 45 FS51 Fixed Stock |
| 15 GR16 A2 Carbine | 29 SG550 / SG552 / SG553 |
| 10 GR16 A2 | 25 F2000 Tactical / F2000 Tactical DST |
| 15 GR16 A3 Carbine | 26 FS2000 Tactical / FS2000 Tactical DST |
| 09 GR16 A3 | 27 F2000 / FS2000 DST |
| 16 GR16 R4 Carbine | 28 F2000 DST / FS2000 |
| 14 GR16 R4 / GR16 R5 | 39 P90 / P90 DST |
| 41 GR16 CQW | 39 PS90 / PS90 DST |
| 42 GR16 CRW | 31 SCAR H-BLK / SCAR H-DST |
| 43 GR16 CRW Cannon | 32 SCAR H-CQC-BLK / SCAR H-CQC-DST |
| 43 GR16 CRW Viper | 33 SCAR L-BLK / SCAR L-DST |
| 13 GR16 R4 Commando | 34 SCAR L-CQC-BLK / SCAR L-CQC-DST |
| 17 GR4 CQB R / H / S | 63 RK47 Wood |
| 48 GR25 Sniper / GR25 S.P.R. | 63 RK Beta |
| 52 G96 / G96 Woodland | 70 RK103 / RK104 |
| 52 G96 Wood / G96 Desert | 72 RK103 EVO / RK104 EVO |
| 35 FNC S / FNC L | 66 AIMS / AKMS |
| 37 GF85 L / GF85 GL | 68 GK99 Black Back |
| 38 GF85 S / GF85 GS | 74 GR14 E.B.R. Short Ver. |
| 49 Xtreme45 CO2 Ver. | 74 GR14 E.B.R. Long Ver. |
| 50 Xtreme45 BLK CO2 Ver. | 77 S.O.C.16 |
| 55 LR300 SR(Sport Rifle) | 77 GR14 Veteran |
| 56 LR300 M/L(Military/Law Enforcement) | 76 GR14 Black Stock |
| 53 LR300 S(Standard Ver.-Short) | 76 GR14 Imitation Wood Stock |
| 54 LR300 L(Standard Ver.-Long) | 76 GR14 Walnut Wood Stock |
| 61 G3 SAS | 76 Rifle Type 57 R.O.C. IWS |
| 62 UMG | 76 Rifle Type 57 R.O.C. WWS |

Plastic Ver. **AIRSOFT**

- 87 GR16 Carbine Plastic
- 87 GR16 Carbine Light Plastic
- 87 GR16 A2 Plastic
- 87 GR16 R4 Plastic
- 84 GR16 Carbine Plastic Blow Back
- 84 GR16 Carbine DST Plastic Blow Back
- 81 GR15 Raider Plastic Blow Back
- 81 GR15 Raider-L Plastic Blow Back
- 81 GR15 Raider-XL Plastic Blow Back
- 82 GR15 Raider DST Plastic Blow Back
- 82 GR15 Raider-L DST Plastic Blow Back
- 82 GR15 Raider-XL DST Plastic Blow Back
- 86 Femme Fatale15
- 86 Femme Fatale16
- 85 FF16 Carbine
- 19 Chione16
- 83 CM16 Carbine
- 83 CM16 Carbine DST
- 79 CM16 Raider
- 79 CM16 Raider DST
- 79 CM16 Raider-L
- 79 CM16 Raider-L DST
- 89 CM RK47 Black
- 89 CM RK47 Imitation Wood
- 89 EGM-T RK47
- 90 GR16-T A2

COMBAT
MACHINE

INTERMEDIATE



ORANGE TIP DISCLAIMER

- ▲ All G&G Airsoft products came with a permanent fixed orange tip required by law, which will grant Airsoft legal usage in the United States and complied with the United States laws.
- ▲ If you altering or removing the orange tip and or if the item is modified or abused, all warranty will be void.



Never direct the muzzle towards a person, animal or in any direction that may cause harm or damage to the third party.



Safety procedures :
1. Attach the safety cap to the muzzle.
2. Set the selector lever to the safety position.
3. Remove the magazine.
4. Remove the battery.



Select a safe place for operating the air gun, avoid places where people and cars are around.



You may be liable for damaging public or personal property or for injuring a person or an animal even if you only meant to shoot as a "practical joke." Always observe good manners and enjoy fun sport shooting.



Disassembling or modifying the gun may adversely affect the performance and make it dangerous. "It may be against the Law."



Always attach the safety cap to the muzzle, remove the battery and store the air gun in a case or bag and at a place that is out of reach by children.



Activating the trigger carelessly is extremely dangerous. Never put your finger on the trigger unless the safety cap is removed and you are ready to shoot a target.



When you carry the air gun, attach the safety cap, set the selector lever to the safety position and always put the air gun in a case or bag.



When shooting the air guns for target practice or in a game situation, you and all participants must wear safety goggles or other eye protective gear. Also, pay attention to ricochets. It is very important to pay attention to third parties other than the participants.



Make sure to put the barrel and safety cap on the muzzle, except when you are shooting. Do this to prevent accident discharge of BB's and also for dust protection purpose. Never pull the trigger while the barrel and the safety cap is attached.



There may be cases where some BB's remain in the gun after the magazine has been removed. After removal of the magazine, direct the muzzle towards a safe direction and pull the trigger to confirm that there are no BB's remain in the gun, then attach the safety cap.



Looking into the muzzle is extremely dangerous regardless of BB's having been loaded or not. If you get hit in the eye by a BB pellet, you may in worst case, lose your eye sight.

Warning

- ▲ All products employ high precision 6.04mm barrel. Use with precision 5.95mm BB pellets is highly recommended. Damage to the product due by faulty BB pellets voids the warranty. Use with caution.
- ▲ The buyer and the user of this product shall adhere to all local laws regulating the usage and the ownership of airsoft guns.
- ▲ This product is intended for users 18 years or older.
- ▲ Read all instructions before using this product.
- ▲ Adult supervision required.
- ▲ Always wear safety goggles when using this product.
- ▲ Misuse or careless handling of this product may cause injury.
- ▲ May be hazardous up to 50 meters.

www.GUAY2.com
100% Made in Taiwan

High Quality Gear Box

Gen II Gear Box Muzzle Velocity : 115 ± 5 m/s with 0.2 g BB

Gen III Gear Box : 120 m/s with 0.2g BB



100% Made in Taiwan

Steel Sector Gear

The sector gear in Top Tech gearbox is manufactured from cutting steel sheet by CNC machines.

Steel Spur Gear

The spur gear in Top Tech gearbox is manufactured by cutting from steel sheet using CNC machines. The durability and hardness are enhanced yet the potential damages from operations are minimized!

Powerful Motor

Top Tech gearbox equipped a Powerful Motor - Long Axis, Short Axis. Promising higher rpm and higher torque for better performance, this new motor will take your high powered Airsoft Electric Gun to the next level

TT line
22,000 rpm Hi-torque

High electric conduction silver-plated wire set

Top Tech gearbox uses the silver-plated wire sets which are highly efficient in electric conduction that minimizes the chances of the batteries from running down and maximizes the battery's effectiveness and durability, which also achieves the aspect of environmental protection.

CNC AL6061 Piston head

Top Tech gearbox equipped with the CNC AL6061 AEG aluminum piston head. The aluminum piston head increases the durability and strength compared to the ordinary plastic one.

Copper Cylinder head

Top Tech gearbox equipped with CNC processed copper cylinder head. It reduces the chance of air leakage hence decreases the energy when often caused by the wear and tear occurs with the traditional cylinder heads after a long period of use.

Steel selector plate

MIM steel selector plate is installed in the entire range of Top Tech products which increases the durability than the ordinary selector plates.

Blow back system Pneumatic piston

8mm ball bearing

Top Tech gearbox installed with 8mm ball bearings in its entire range of advanced series to stabilize the gears' rotations and enhances the strength in bearing.

New Blow Back Pneumatic System

True to the faith of mimicking real life firearms,

Top Tech is proud to present its new

Pneumatic Blow Back system to its line of airsoft guns. Conventional airsoft blowback utilizes tow hook springs to mimic real life bolt actions, which often lead to excess wear and tear and poor reliability in the gear box.



TAIWAN

Patent No : M300797



USA

Patent No : 11/488698



HONG KONG

Patent No : 06107627.0



JAPAN

Patent No : 實願2006-1459



EUROPEAN UNION

Patent No : 460191 814454



CHINA

Patent No : 200620122468.9




DENMARK

Patent No : BA2007 0069



U.K.

Patent No : 614422.4



www.GUAY2.com | 100% Made in Taiwan



G&G ARMAMENT
AIRSOFT GUNS & ACCESSORIES

Material

Al6061
Aluminum Alloy
Nylon
Fiber
Steel
Zinc
Plastic
Stainless

Overall length

790mm / 695mm (Light)

Weight

2908mm / 2695mm (Light)

Inner barrel length

357mm / 275mm (Light)

Muzzle velocity

90-100 m/sec with 0.2g BB
(reference velocity)

Motor

25000 rpm Hi-torque

Gear Box Bearing

8 mm Ball Bearing

Magazine

450 Rounds

T4-18 Light Model No.T-418-LGT**T4-18** Model No.T-418-BLK



GR16 A3 Model No.EGR-016-A3

Material

Al6061
Aluminum Alloy
Nylon
Fiber
Steel
Zinc
Plastic
Stainless

Inner barrel length

510mm

Muzzle velocity

90-100 m/sec with 0.2g BB (reference velocity)

Motor

25000 rpm Hi-torque

Overall length

1040mm

Gear Box Bearing

8 mm Ball Bearing

Magazine

450 Rounds

Weight

3100g



Material

Al6061
Aluminum Alloy
Nylon
Fiber
Steel
Zinc
Plastic
Stainless

Weight

2990g

Inner barrel length

510mm

Muzzle velocity

90-100 m/sec with 0.2g BB
(reference velocity)

Overall length

1040mm

Motor

25000 rpm Hi-torque

Gear Box Bearing

8mm Ball Bearing

Magazine

450 Rounds

GR16 A2

Model No.EGR-016-A2



G&G ARMAMENT
AIRSOFT GUNS & ACCESSORIES



Model No.EGR-016-CARLGT
GR16 Carbine Light

Overall length
675mm

Weight
2498g

Material
Al6061
Aluminum Alloy
Nylon
Fiber
Steel
Zinc
Plastic
Stainless

Motor
25000 rpm
Hi-torque

Inner barrel length
275mm

Gear Box Bearing
8mm Ball Bearing

Magazine
450 Rounds

Muzzle velocity
90-100 m/sec
with 0.2g BB
(reference velocity)

Material
Al6061
Aluminum Alloy
Nylon
Fiber
Steel
Zinc
Plastic
Stainless

Inner barrel length
357mm

Muzzle velocity
90-100 m/sec with 0.2g BB
(reference velocity)

Overall length
780mm

Motor
25000 rpm Hi-torque

Weight
2800g

Gear Box Bearing
8mm Ball Bearing

Magazine
450 Rounds

GR16 Carbine Model No.EGR-016-CAR



G&G ARMAMENT
AIRSOFT GUNS & ACCESSORIES

Material
Al6061
Aluminum Alloy
Nylon
Fiber
Steel
Zinc
Plastic
Stainless

Overall length
745mm

Weight
2550g

GR16 Ranger
Model No.EGR-016-RAN

Inner barrel length
345mm

Muzzle velocity
90-100 m/sec with 0.2g BB
(reference velocity)

Motor
25000 rpm Hi-torque

Gear Box Bearing
8 mm Ball Bearing

Magazine
450 Rounds

Photographed by
Johnson Yang / U.S.A.
(Chief Photographer)



TOP TECH

ADVANCED



www.GUAY2.com
100% Made in Taiwan



G&G ARMAMENT
AIRSOFT GUNS & ACCESSORIES

12



Photographed by
Johnson Yang / U.S.A.
(Chief Photographer)

13

Material

Al6061
Aluminum Alloy
Nylon
Fiber
Steel
Zinc
Plastic
Stainless

Weight

2700g

Inner barrel length

357mm

Muzzle velocity

90-100 m/sec with 0.2g BB
(reference velocity)

Motor

25000 rpm Hi-torque

GR16 R4 Commando

Model No.EGR-016-R4-COM

Gear Box Bearing

8 mm Ball Bearing

Magazine

450 Rounds

Material

Al6061
Aluminum Alloy
Nylon
Fiber
Steel
Zinc
Plastic
Stainless

Weight

2600g

Motor

25000 rpm Hi-torque

Inner barrel length

357mm

Muzzle velocity

90-100 m/sec with 0.2g BB
(reference velocity)

GR16 R4

Model No.EGR-016-R4



Overall length

870mm

Gear Box Bearing

8 mm Ball Bearing

Magazine

450 Rounds



GR16 R5

Model No.EGR-016-R5

Weight

2990g

Overall length

1040mm

Inner barrel length

510mm

Motor

25000 rpm Hi-torque

Magazine

450 Rounds

Gear Box Bearing

8mm Ball Bearing

Muzzle velocity

90-100 m/sec with 0.2g BB
(reference velocity)

Material

Al6061
Aluminum Alloy
Nylon
Fiber
Steel
Zinc
Plastic
Stainless



www.GUAY2.com
100% Made in Taiwan



G&G ARMAMENT
AIRSOFT GUNS & ACCESSORIES

14

GR16 A2 Carbine
Model No.EGR-016-A2C

Gear Box Bearing
8mm Ball Bearing

Magazine
450 Rounds

Overall length
780mm

Weight
2700g

Inner barrel length
357mm

Muzzle velocity
90-100 m/sec with 0.2g BB (reference velocity)

Motor
25000 rpm Hi-torque

Material
Al6061
Aluminum Alloy
Nylon
Fiber
Steel
Zinc
Plastic
Stainless



GR16 A3 Carbine
Model No.EGR-016-A3C

Gear Box Bearing
8mm Ball Bearing

Weight
2800g

Material
Al6061
Aluminum Alloy
Nylon
Fiber
Steel
Zinc
Plastic
Stainless

Overall length
870mm

Motor
25000 rpm Hi-torque

Magazine
450 Rounds

Muzzle velocity
90-100 m/sec with 0.2g BB (reference velocity)



Photographed by
Johnson Yang / U.S.A.
(Chief Photographer)



G&G ARMAMENT
AIRSOFT GUNS & ACCESSORIES



GR16 R4 Carbine Model No.EGR-016-R4C

Material
Al6061
Aluminum Alloy
Nylon
Fiber
Steel
Zinc
Plastic
Stainless

Overall length
780mm

Inner barrel length
357mm

Muzzle velocity
90-100 m/sec with 0.2g BB (reference velocity)

Motor
25000 rpm Hi-torque

Weight
2900g

Gear Box Bearing
8 mm Ball Bearing

Magazine
450 Rounds



G&G ARMAMENT
AIRSOFT GUNS & ACCESSORIES

www.GUAY2.com
100% Made in Taiwan



Photographed by
Johnson Yang / U.S.A.
(Chief Photographer)



GR4 CQB S

Model No.EGR-016-CS

Material

- Al6061
- Aluminum Alloy
- Nylon
- Fiber
- Steel
- Zinc
- Plastic
- Stainless

Overall length

765mm

Weight

2650g

Inner barrel length

275mm

Muzzle velocity

90-100 m/sec with 0.2g BB
(reference velocity)

Motor

25000 rpm Hi-torque

Gear Box Bearing

8mm Ball Bearing

Magazine

450 Rounds

GR4 CQB H

Model No.EGR-016-CH

Material

- Al6061
- Aluminum Alloy
- Nylon
- Fiber
- Steel
- Zinc
- Plastic
- Stainless

Overall length

675mm

Inner barrel length

275mm

Muzzle velocity

90-100 m/sec with 0.2g BB
(reference velocity)

Magazine

450 Rounds

Weight

2560g

Motor

25000 rpm Hi-torque

Gear Box Bearing

8mm Ball Bearing



GR4 CQB R

Model No.EGR-016-CR

Material

- Al6061
- Aluminum Alloy
- Nylon
- Fiber
- Steel
- Zinc
- Plastic
- Stainless

Overall length

750mm

Inner barrel length

275mm

Muzzle velocity

90-100 m/sec with 0.2g BB
(reference velocity)

Weight

2080g

Motor

25000 rpm Hi-torque

Gear Box Bearing

8 mm Ball Bearing

Magazine

450 Rounds



Chione16

Model No.EGR-C16-CHP

Material

Al6061
Aluminum Alloy
Nylon
Fiber
Steel
Zinc
Plastic
Stainless

Overall length

780mm

Inner barrel length

357mm

Muzzle velocity

90-100 m/sec with 0.2g BB
(reference velocity)

Gear Box Bearing

8mm Ball Bearing

Motor

25000 rpm Hi-torque

Weight

2800g

Magazine

450 Rounds

Photographed by
Johnson Yang / U.S.A.
(Chief Photographer)

19



G&G ARMAMENT
AIRSOFT GUNS & ACCESSORIES

www.GUAY2.com
100% Made in Taiwan



20

TRACER UNIT RECHARGEABLE

Build-in automatic vibration sensor

When no movements are detected for more than 10 minutes, the tracer unit automatically enters into power-saving mode.

Build-in dual color LED power switch

Red indicates the battery is being charged.
Flashing red indicates the battery power is critically low.
Green indicates the battery is fully charged.
Flashing green indicates the battery is fully charged and the tracer unit is in standby mode.

Tracer BB

(Can / 2400 Pellets)

G-07-0137 (Green) 0.2g

G-07-0138 (Green) 0.25g

G-07-139 (Pink) 0.2g

LI-PO 3.7V / 2200mAh

(Special specification for G&G tracer unit ONLY!)
G-11-036

Tracer effect for night games

This silencer replica actually houses flash tube that activates tracer BBs with strobe light.
The tracer BBs glow in dark creating tracer round effect for night games.

TRINITY HI-SPEED AC/DC CHARGER

Specification

Input	AC 110V or 230V / DC 11~18V
Battery Type	Ni-Cd / Ni-MH / Li-Po
Battery Cell	Ni-Cd / Ni-MH 1 - 14 Cell (1.2V - 16.8V) Li-Po 1 - 6 Cell (3.7V - 22.2V)
Charge Rate	0.3A ~ 5A (0.1A Per gradation)
Discharge Rate	2A (Constant current)

Features

1. Super function 3 in 1 16 bits microchip CPU controller
2. AC,DC are both compatible(AC 110V or 230V switching power supply technology input DC11V~18V input usable)
3. Two-line 16 characters dot matrix large LCD display
4. AC & DC's plug sockets are removable
5. Universal output terminal
6. Deactivate and reactivate the beeper by using the " select" button
7. Detect inversion of the battery automatically and input reverse protection
8. Built-in DC cooling fan
9. Entire casing made of aluminum with compact and portable design

21

G&G PROMOTIONAL POKER



G&G PROMOTIONAL STICKERS

Above shows the collection of G&G free stickers, the purpose of use is very useful to retailers & highly attracts to Airsoft end- users.

G&G PROMOTIONAL TAGS



G&G PROMOTIONAL Maintenance Box

www.GUAY2.com | 100% Made in Taiwan

G&G PROMOTIONAL BANDANA



G&G PROMOTIONAL FOLDING GAZEBOs 3 x 3 m / 3 x 4.5 m / 3 x 6 m



G&G PROMOTIONAL FLAGS

Above drawing shows the size and the graphics of the flag. These flags are made with water-resistance materials, so they are very durable when hanging in outdoors.



Promotional Materials

22

G&G always provides the valuable products and free promotional materials to our customers to increase the benefits of carrying G&G's products



G&G ARMAMENT
AIRSOFT GUNS & ACCESSORIES

Stay Alive

G&G ARMAMENT
AIRSOFT GUNS & ACCESSORIES
www.GUAY2.com

23

G&G is always providing the valuable products and free promotional materials to our customers to increase the benefits of carrying G&G's products

G&G PROMOTIONAL CAP



G&G PROMOTIONAL VELCRO PATCH

G&G SINCE 1986
ARMAMENT

G&G SINCE 1986
ARMAMENT

Stay Alive

G&G ARMAMENT
AIRSOFT GUNS & ACCESSORIES
For more product information please visit our website www.GUAY2.com

G&G ARMAMENT
AIRSOFT GUNS & ACCESSORIES
Stay Together

G&G PROMOTIONAL T-SHIRT

G&G PROMOTIONAL POLO-SHIRT

24





Photographed by
Johnson Yang / U.S.A.
(Chief Photographer)



Licensed by FN Herstal



G&G ARMAMENT
AIRSOFT GUNS & ACCESSORIES



FS2000 Tactical DST

Model No.EGF-F20L-DST

Material

Aluminum Alloy
Al6061
Nylon
Fiber
Stainless
Zinc
Plastic

Magazine
450 Rounds

Weight
3200g

Inner barrel length
443mm

Muzzle velocity
90-100 m/sec with 0.2g BB
(reference velocity)

Gear Box Bearing
8mm Ball Bearing

Motor
25000 rpm Hi-torque

Overall length
752mm



F2000 Tactical

Model No.EGF-F20-STD

Material

Aluminum Alloy
Al6061
Nylon
Fiber
Stainless
Zinc
Plastic

Overall length
703mm

Magazine
450 Rounds

Muzzle velocity
90-100 m/sec with 0.2g BB
(reference velocity)

Motor
25000 rpm Hi-torque

F2000 Tactical DST

Model No.EGF-F20-DST

Inner barrel length
430mm

Gear Box Bearing
8mm Ball Bearing

Weight
3200g

25



G&G ARMAMENT
AIRSOFT GUNS & ACCESSORIES

www.GUAY2.com
100% Made in Taiwan

TOP TECH
ADVANCED ▲



Produced under sub-license
from Cybergun, who is the
worldwide exclusive licensee
for FN replica airsoft guns

26

FS2000 DST

Model No.EGF-20HL-DST

MaterialAluminum Alloy
Al6061
Nylon
Fiber
Stainless
Zinc
Plastic**Overall length**

752mm

Magazine

450 Rounds

Gear Box Bearing

8mm Ball Bearing

Muzzle velocity90-100 m/sec with 0.2g BB
(reference velocity)**Inner barrel length**

443mm

Motor

25000 rpm Hi-torque

Weight

3200g

This Image supplier
from photographer
Jonathan Marmand**F2000 DST**

Model No.EGF-20H-DST

LED Attack Type (optional)
FlashLight for G2010
Model No.G-04-028

Licensed by FN Herstal

FS2000

Model No.EGF-20HL-STD

MaterialAluminum Alloy
Al6061
Nylon
Fiber
Stainless
Zinc
Plastic**Overall length**

703mm

Motor

25000 rpm Hi-torque

Magazine

450 Rounds

Inner barrel length

430mm

Gear Box Bearing

8mm Ball Bearing

Muzzle velocity90-100 m/sec with 0.2g BB
(reference velocity)**Weight**

3200g

Laser Sight for G2010 (optional)
Model No.G-12-014**G&G ARMAMENT**
AIRSOFT GUNS & ACCESSORIES**F2000**

Model No.EGF-20H-STD

Produced under sub-license
from Cybergun, who is the
worldwide exclusive licensee
for FN replica airsoft guns

TOP TECH

ADVANCED

www.GUAY2.com
100% Made in Taiwan**G&G ARMAMENT**
AIRSOFT GUNS & ACCESSORIES


SG552

Model No.ESG-552-STD

Material

 Aluminum Alloy
 Steel
 Nylon
 Fiber
 Stainless
 Zinc
 Plastic

Overall length

747mm

Weight

3008g

Magazine

450 Rounds

Inner barrel length

275mm

Gear Box Bearing

6mm oilless

Muzzle velocity

 100-120 m/sec with 0.2g BB
 (reference velocity)

Motor

 25000 rpm
 Hi-torque

SG553

Model No.ESG-553-STD

Material

 Aluminum Alloy
 Steel
 Nylon
 Fiber
 Stainless
 Zinc
 Plastic

Overall length

842mm

Weight

2898g

Magazine

450 Rounds

Inner barrel length

343mm

Gear Box Bearing

6mm oilless

Muzzle velocity

 100-120 m/sec with 0.2g BB
 (reference velocity)

Motor

 25000 rpm
 Hi-torque

SG550

Model No.ESG-550-STD

Material

 Aluminum Alloy
 Steel
 Nylon
 Fiber
 Stainless
 Zinc
 Plastic

Overall length

1005mm

Weight

3650g

Magazine

450 Rounds

Inner barrel length

510mm

Gear Box Bearing

6mm oilless

Muzzle velocity

 100-120 m/sec with 0.2g BB
 (reference velocity)

Motor

 25000 rpm
 Hi-torque

 Produced under sub-license
 from Cybergun, who is the
 worldwide exclusive licensee
 for FN replica airsoft guns

TOP TECH
 ADVANCED ▲

www.GUAY2.com
 100% Made in Taiwan

G&G ARMAMENT
 AIRSOFT GUNS & ACCESSORIES




Licensed by FN Herstal

This product doesn't include
Dot sight & Green laser

SCAR H-BLK

Model No. EGS-H-BLK

Motor
25000 rpm Hi-torque

Weight
3252 g

Material
Aluminum Alloy
Nylon / Fiber
Steel
Zinc
Plastic

Overall length
895 mm

Magazine
450 Rounds

SCAR H-CQC-DST

Model No. EGS-HQC-DST

SCAR H-CQC-BLK

Model No. EGS-HQC-BLK

Inner barrel length
357 mm

Gear Box Bearing
8mm Ball Bearing

Muzzle velocity
90-100 m/sec with 0.2g BB
(reference velocity)

Muzzle velocity
90-100 m/sec with 0.2g BB
(reference velocity)

Weight
3252 g

Magazine
450 Rounds

Material
Aluminum Alloy
Nylon
Fiber
Steel
Zinc
Plastic

Inner barrel length
275 mm

Gear Box Bearing
8mm Ball Bearing

Overall length
820 mm

Motor
25000 rpm Hi-torque

SCAR H-DST

Model No. EGS-H-DST





G&G ARMAMENT
AIRSOFT GUNS & ACCESSORIES

www.GUAY2.com
100% Made in Taiwan

TOP TECH
ADVANCED ▲



Produced under sub-license
from Cybergun, who is the
worldwide exclusive licensee
for FN replica airsoft guns

SCAR L-BLK
Model No. EGS-L-BLK

Inner barrel length
357 mm

Weight
3194g

Magazine
450 Rounds

SCAR L-DST
Model No. EGS-L-DST

Overall length
805 mm

Motor
25000 rpm Hi-torque

Muzzle velocity
90-100 m/sec with 0.2g BB
(reference velocity)

Gear Box Bearing
8mm Ball Bearing

Material
Aluminum Alloy
Nylon
Fiber
Steel
Zinc
Plastic

SCAR L CQC-DST
Model No. EGS-CQC-DST

Material
Aluminum Alloy
Nylon
Fiber
Steel
Zinc
Plastic

Magazine
450 Rounds

Weight
2910g

Overall length
730 mm

Motor
25000 rpm Hi-torque

Gear Box Bearing
8mm Ball Bearing

Muzzle velocity
90-100 m/sec with 0.2g BB
(reference velocity)

Inner barrel length
275 mm

SCAR L CQC-BLK
Model No. EGS-CQC-BLK



Licensed by FN Herstal

Photographed by
Johnson Yang / U.S.A.
(Chief Photographer)

This product doesn't include Dot sight



G&G ARMAMENT
AIRSOFT GUNS & ACCESSORIES



Photographed by
Johnson Yang / U.S.A.
(Chief Photographer)

FNC S
Model No. EGF-F76-S

Muzzle velocity
90-100 m/sec with 0.2g BB
(reference velocity)

Weight
4000g(S) / 4100g(L)

Material
Aluminum Alloy
Nylon
Fiber
Steel
Zinc
Plastic

Overall length
998mm(S) / 1010mm(L)

Motor
25000 rpm Hi-torque

Inner barrel length
357mm(S) / 443mm(L)

Gear Box Bearing
8mm Ball Bearing

Magazine
450 Rounds

36



FNC L
Model No. EGF-F76-L

This product doesn't include Scope mount

35



G&G ARMAMENT
AIRSOFT GUNS & ACCESSORIES

www.GUAY2.com
100% Made in Taiwan

TOP TECH
ADVANCED ▲



Produced under sub-license
from Cybergun, who is the
worldwide exclusive licensee
for FN replica airsoft guns



G&G ARMAMENT
AIRSOFT GUNS & ACCESSORIES



G&G ARMAMENT
AIRSOFT GUNS & ACCESSORIES

Material

Aluminum Alloy
Nylon
Fiber
Steel
Zinc
Plastic
Stainless

GF85 L

Model No. EGF-F85-L

Overall length

1010mm

Weight

4160g

Inner barrel length

443mm

Muzzle velocity

90-100 m/sec with 0.2g BB
(reference velocity)

Gear Box Bearing

8mm Ball Bearing

Motor

25000 rpm Hi-torque

Magazine

450 Rounds

GF85 GL

Model No. EGF-F85-GL

37



GF85 GS

Model No. EGF-F85-GS

Material

Aluminum Alloy
Nylon
Fiber
Steel
Zinc
Plastic
Stainless

Overall length

998mm

Weight

3940g

Inner barrel length

357mm



GF85 S

Model No. EGF-F85-S

Muzzle velocity

90-100 m/sec with 0.2g BB
(reference velocity)

Gear Box Bearing

8mm Ball Bearing

Motor

25000 rpm Hi-torque

Magazine

450 Rounds

Photographed by
Johnson Yang / U.S.A.
(Chief Photographer)



TOP TECH

ADVANCED ▲



www.GUAY2.com
100% Made in Taiwan



G&G ARMAMENT
AIRSOFT GUNS & ACCESSORIES

38



P90 DST Model No.EGF-P90-DST

Weight
2850g / 2700g (S)

Inner barrel length
430mm / 255mm (S)

Gear Box Bearing
8mm ball bearing

Muzzle velocity
90-100 m/sec with 0.2g BB
(reference velocity)

Material
Al6061
Aluminum Ally
Nylon
Fiber
Zinc
Plastic
Stainless

Overall length
715mm / 507mm (S)

Motor
25000 rpm Hi-torque

Magazine
50 Rounds

P90
Model No.EGF-P90-BLK



PS90 Model No.EGF-S90-BLK




G&G ARMAMENT
AIRSOFT GUNS & ACCESSORIES

P90 Dot sight feature

Power	<120mW
Operational power current	<30mA
Operational voltage	3V (1.5V x 2)
Battery type	AAA 1.5V
Mode	Day / Night
Operating temperature	- 10°C to 60°C
Storage temperature	- 40°C to 85°C

PS90 DST Model No.EGF-S90-DST



FN HERSTAL BELGIUM

Photographed by
Johnson Yang / U.S.A.
(Chief Photographer)



P90 Visible laser feature

Power	<1mW(Class II/Euro specification) or <5mW(Class IIIa/US specification)
Wave length	640 ~ 660 nm (Red illumination)
Output mode	CW (continuously)
Operational power	current <40mA
Operational voltage	3V (1.5V x 2)
Battery type	AAA 1.5V



Produced under sub-license
from Cybergun, who is the
worldwide exclusive licensee
for FN replica airsoft guns



TOP TECH

ADVANCED ▲



www.GUAY2.com
100% Made in Taiwan



G&G ARMAMENT
AIRSOFT GUNS & ACCESSORIES



GR16 CQW

Model No.EGR-016-CQW

Material

Aluminum Alloy
Nylon
Fiber
Steel
Zinc
Plastic

Overall length

617mm

Weight

2450g

Inner barrel length

168mm

Muzzle velocity

90-100 m/sec with 0.2g BB
(reference velocity)

Motor

25000 rpm Hi-torque

Gear Box Bearing

8mm ball bearing

Magazine

450 Rounds

41



30mm AP Red dot sight (optional)
Model No.G-12-008

Rear Sight for T418
Model No.G-03-115
(optional)

Overall length
440mm

Weight
2260g

Material
Aluminum Alloy
Nylon
Fiber
Steel
Zinc
Plastic

Inner barrel length
168mm

Muzzle velocity
90-100 m/sec with 0.2g BB
(reference velocity)

Motor
25000 rpm Hi-torque Long axis

Gear Box Bearing
8mm ball bearing

Magazine
450 Rounds

GR16 CRW

Model No.EGR-016-CW

Photographed by
Johnson Yang / U.S.A.
(Chief Photographer)

This product doesn't include Dot sight



G&G ARMAMENT
AIRSOFT GUNS & ACCESSORIES



TOP TECH
ADVANCED ▲



www.GUAY2.com
100% Made in Taiwan



G&G ARMAMENT
AIRSOFT GUNS & ACCESSORIES

42

GR16 CRW Viper

Model No.EGR-016-CW-VIP

Material

Aluminum Alloy
Nylon
Fiber
Steel
Zinc
Plastic

Weight

2162g

Inner barrel length

295mm

Muzzle velocity

90-100 m/sec with 0.2g BB
(reference velocity)

Motor

25000 rpm Hi-torque Long axis

Gear Box Bearing

8mm ball bearing

Magazine

450 Rounds

GR16 CRW Cannon

Model No.EGR-016-CW-CAN

Material

Aluminum Alloy
Nylon
Fiber
Steel
Zinc
Plastic

Weight

2480g

Inner barrel length

330mm

Muzzle velocity

90-100 m/sec with 0.2g BB
(reference velocity)

Motor

25000 rpm Hi-torque Long axis

Gear Box Bearing

8mm ball bearing

Magazine

450 Rounds

This Image supplier
from photographer
Jonathan Marmand

44



43



G&G ARMAMENT
AIRSOFT GUNS & ACCESSORIES

www.GUAY2.com
100% Made in Taiwan

TOP TECH
ADVANCED ▲



G&G ARMAMENT
AIRSOFT GUNS & ACCESSORIES

FS51 Folding Stock

Model No. EGF-051-FOD

Overall length

835mm

Weight

3000g

Inner barrel length

304mm

Muzzle velocity

90-100 m/sec with 0.2g BB
(reference velocity)

Magazine

500 Rounds

Motor

25000 rpm Hi-torque

Gear Box Bearing

8mm ball bearing

Material

Aluminum Alloy
Magnesium
Nylon
Fiber
Steel
Zinc
Plastic



FS51 Fixed Stock

Model No. EGF-051-FIX

Material

Aluminum Alloy
Magnesium
Nylon
Fiber
Steel
Zinc
Plastic

Overall length

805mm

Weight

2968g

Inner barrel length

304mm

Muzzle velocity

90-100 m/sec with 0.2g BB
(reference velocity)

Motor

25000 rpm Hi-torque

Gear Box Bearing

8mm ball bearing

Magazine

500 Rounds

45



G&G ARMAMENT
AIRSOFT GUNS & ACCESSORIES

www.GUAY2.com
100% Made in Taiwan

TOP TECH

ADVANCED ▲



This product doesn't include Red dot sight

46

Photographed by
Johnson Yang / U.S.A.
(Chief Photographer)



G&G ARMAMENT
AIRSOFT GUNS & ACCESSORIES



Photographed by
Johnson Yang / U.S.A.
(Chief Photographer)

This product doesn't include Scope, Bipod & Mount

GR25 Sniper Model No. EGR-025-STD

Magazine
50 Rounds

Gear Box Bearing
8mm ball bearing

Material
Aluminum Alloy
Magnesium
Nylon
Fiber
Steel
Zinc
Plastic

Overall length
1000mm
Weight
3000g

Inner barrel length
510mm
Muzzle velocity
90-100 m/sec with 0.2g BB
(reference velocity)
Motor
25000 rpm Hi-torque Long axis

This product doesn't include
Scope, Laser, Bipod & Mount



G&G ARMAMENT
AIRSOFT GUNS & ACCESSORIES

This product doesn't include
Scope, Bipod & Mount



GR25 S.PR.
Model No. EGR-025-SPR

Motor
25000 rpm Hi-torque Long axis

Gear Box Bearing
8mm ball bearing

Magazine
50 Rounds

Material
Aluminum Alloy
Magnesium
Nylon
Fiber
Steel
Zinc
Plastic

Overall length
1010mm

Weight
2730g

Inner barrel length
463mm

Muzzle velocity
90-100 m/sec with 0.2g BB
(reference velocity)



Material

Aluminum Alloy
ABS
Steel
Zinc
Plastic

Overall length

220mm

Weight

946g

Inner barrel length

123.8mm

Muzzle velocity

112m/s with 0.2g BBs (average)
(reference velocity)

CO2 Type

12gm CO2 Cartridge only

Firing Mode

Single Shot Bolt Action / CO2

Magazine

15 Rounds

XTREME45 CO2 Ver.

Model No. CO2-XTR-PST



XTREME45 BLK CO2 Ver.

Model No. CO2-XTR-BLK





Bolt Set for G96 (Silver) (optional)
Model No.G-07-144

Dot-50 (3-9*50mm) Scope (optional)
Model No.G-12-009

G96
Model No.GGS-G96-STD

Photographed by
Johnson Yang / U.S.A.
(Chief Photographer)

This product doesn't include
Scope, Bipod & Mount



G96 Woodland Model No.GGS-G96-GN

G96 Desert Model No.GGS-G96-DST

Sprial Heavy Barrel Set for G96(US) (optional)
Model No.G-07-145
Sprial Heavy Barrel Set for G96(EUR) (optional)
Model No.G-07-146

G96 Wood Model No.GGS-G96-WD

Material
Al6061
Nylon
Fiber
Steel
Zinc
Plastic

Inner barrel length
655mm

Muzzle velocity
150-160 m/sec with 0.2g BB
(reference velocity)

Weight
3890g

Gas
Can handle up to 12kg/cm2 gas

Overall length
1150mm

Magazine
15 Rounds

Image Supplier :
G&G "show yourself"
photographic competition
Marta Lukaszczyk / Poland



53



G&G ARMAMENT
AIRSOFT GUNS & ACCESSORIES

www.GUAY2.com
100% Made in Taiwan

TOP TECH
ADVANCED ▲



Produced under sub-license
from Evolution, who is the
worldwide exclusive licensee
for ZM replica airsoft guns



G&G ARMAMENT
AIRSOFT GUNS & ACCESSORIES



LR300 L

Model No. EGR-300-L

Only for Asia



Material

Aluminum Alloy
Nylon
Fiber
Steel
Zinc
Plastic

Overall length

918mm (L) / 805mm (S)

Weight

3050g (L) / 2950g (S)

Inner barrel length

407mm (L) / 304mm (S)

Muzzle velocity

90-100 m/sec with 0.2g BB
(reference velocity)

Motor

25000 rpm Hi-torque

Gear Box Bearing

8mm ball bearing

Magazine

450 Rounds

54



LR300 M/L
(Military/Law Enforcement)

Model No. EGR-300-ML

Inner barrel length

304mm(M/L) / 407mm(SR)

Gear Box Bearing

8mm ball bearing

Muzzle velocity

90-100 m/sec with 0.2g BB
(reference velocity)

Overall length

759mm(M/L) / 872mm(SR)

Weight

2960g(M/L) / 3062g(SR)

Magazine

450 Rounds

Motor

25000 rpm Hi-torque

Material

Aluminum Alloy
Nylon
Fiber
Steel
Zinc
Plastic



Only for Asia

LR300 SR (Sport Rifle)

Model No. EGR-300-SR



G&G ARMAMENT
AIRSOFT GUNS & ACCESSORIES

55



Produced under sub-license
from Evolution, who is the
worldwide exclusive licensee
for ZM replica airsoft guns



TOP TECH

ADVANCED ▲



www.GUAY2.com
100% Made in Taiwan



G&G ARMAMENT
AIRSOFT GUNS & ACCESSORIES

56

Image Supplier :
G&G "show yourself"
photographic competition
Arkadiusz Dembinski
/ Poland



Material

Aluminum Alloy
Nylon
Fiber
Steel
Zinc
Plastic

Overall length

785mm

Weight

3250g (A1) / 3194g (A2)

Inner barrel length

510mm

Gear Box Bearing

8mm oilless

Magazine

450 Rounds

Motor

25000 rpm Hi-torque

Muzzle velocity

90-100 m/sec with 0.2g BB
(reference velocity)

L85 Susat Scope (optional)
Model No.G-12-004



L85 A2

Model No. EGL-L85-A2



L85 A1

Model No. EGL-L85-A1

57



G&G ARMAMENT
AIRSOFT GUNS & ACCESSORIES

www.GUAY2.com
100% Made in Taiwan

TOP TECH

ADVANCED ▲



58

Image Supplier :
G&G "show yourself"
photographic competition
Kanin Roman / Russia



G&G ARMAMENT
AIRSOFT GUNS & ACCESSORIES

Material

Aluminum Alloy
Nylon
Fiber
Steel
Zinc
Plastic

Inner barrel length

413mm

Overall length

720mm

L85 Carbine

Model No. EGL-L85-CAR

Weight

3044g

Motor

25000 rpm Hi-torque

Muzzle velocity

90-100 m/sec with 0.2g BB
(reference velocity)

Gear Box Bearing

8mm ball bearing

Magazine

450 Rounds



G&G ARMAMENT
AIRSOFT GUNS & ACCESSORIES

Material

Aluminum Alloy
Nylon
Fiber
Steel
Zinc
Plastic

Overall length

585mm

Inner barrel length

305mm

Motor

25000 rpm Hi-torque

L85 AFV

Model No. EGL-L85-AFV

Weight

3150g

Muzzle velocity

90-100 m/sec with 0.2g BB
(reference velocity)

Gear Box Bearing

8mm Ball Bearing

Magazine

450 Rounds

59



G&G ARMAMENT
AIRSOFT GUNS & ACCESSORIES

www.GUAY2.com
100% Made in Taiwan

TOP TECH

ADVANCED ▲



60

Image Supplier :
G&G "show yourself"
photographic competition
Kanin Roman / Russia

This product doesn't include
Green laser, Mock sound suppressor, Railed grip & L.P.M.

63 SAS

Model No. EG3-SAS-STD

Material

Aluminum Alloy
Magnesium
Nylon
Fiber
Steel
Zinc
Plastic

Overall length

504mm

Weight

2686g

Inner barrel length

275mm

Muzzle velocity

90-100 m/sec with 0.2g BB (reference velocity)

Gear Box Bearing

8mm ball bearing

Motor

25000 rpm Hi-torque

Magazine

500 Rounds



61



G&G ARMAMENT
AIRSOFT GUNS & ACCESSORIES

www.GUAY2.com
100% Made in Taiwan

TOP TECH

ADVANCED ▲



62

Photographed by
Johnson Yang / U.S.A.
(Chief Photographer)



UMG

Model No. EGU-001-STD

Material

Aluminum Alloy
Nylon
Fiber
Steel
Zinc
Plastic

Overall length

695mm

Weight

2365g

Inner barrel length

205mm

Muzzle velocity

90-100 m/sec with 0.2g BB
(reference velocity)

Motor

25000 rpm Hi-torque

Gear Box Bearing

6mm oilless

Magazine

530 Rounds



This product doesn't include
Red dot sight & Mock sound suppressor



G&G ARMAMENT
AIRSOFT GUNS & ACCESSORIES

RK47 Wood

Model No. EGK-047-WST

Material

Aluminum Alloy
Wood
Steel
Zinc
Plastic

Overall length

890mm

Weight

3070g

Inner barrel length

443mm

This product doesn't include Dot Sight, Sight Mount & Flash Suppressor



Dot Sight (optional)

Model No.G-12-003

Sight Mount for RK Series (optional)

Model No.G-03-085

Muzzle velocity

90-100 m/sec with 0.2g BB
(reference velocity)

Gear Box Bearing

6mm oilless

Magazine

600 Rounds

Motor

25000 rpm Hi-torque

M4 Dot Sight (optional)

Model No.G-12-011

GLT1 Green Laser (optional)

Model No.G-12-010



Railed Grip (optional)

Model No.G-03-066

RK BETA

Model No.EGK-BETA-STD

Material

Aluminum Alloy
Nylon
Fiber
Steel
Zinc
Plastic

Inner barrel length

233mm

Muzzle velocity

90-100 m/sec with 0.2g BB
(reference velocity)

Motor

25000 rpm Hi-torque

Gear Box Bearing

6mm oilless

Magazine

600 Rounds

Overall length

720mm

Weight

3210g

This product doesn't include Dot Sight, Green Laser & Railed Grip



G&G ARMAMENT
AIRSOFT GUNS & ACCESSORIES

Photographed by
Johnson Yang / U.S.A.
(Chief Photographer)



G&G ARMAMENT
AIRSOFT GUNS & ACCESSORIES

www.GUAY2.com
100% Made in Taiwan





65

Image Supplier :
G&G "show yourself"
photographic competition
Marta Poludnikiewicz / Poland

This product doesn't include Dot Sight & Sight Mount



Dot Sight (optional)
G-12-003

Sight Mount for RK Series (optional)
G-03-085

AIMS
Model No. EGK-AIMS-STD

Motor
25000 rpm Hi-torque

Gear Box Bearing
6mm oilless

Magazine
600 Rounds

Overall length
908mm

Weight
3440g

Inner barrel length
357mm

Muzzle velocity
90-100 m/sec with 0.2g BB
(reference velocity)

Material
ABS
Nylon
Fiber
Wood
Steel
Zinc
Plastic



Material
ABS
Nylon
Fiber
Wood
Steel
Zinc
Plastic

AKMS
Model No. EGK-AKMS-STD

Gear Box Bearing
6mm oilless

Weight
3266g

Motor
25000 rpm Hi-torque

Inner barrel length
357mm

Muzzle velocity
90-100 m/sec with 0.2g BB (reference velocity)

Magazine
600 Rounds



www.GUAY2.com
100% Made in Taiwan



G&G ARMAMENT
AIRSOFT GUNS & ACCESSORIES

66



Photographed by
Johnson Yang / U.S.A.
(Chief Photographer)



Model No. EGK-099-BB-STD **GK99 Blow Back**

Material

Aluminum Alloy
Stainless
Nylon
Fiber
Steel
Zinc
Plastic

Overall length

940mm

Weight

3000g

Inner barrel length

438mm

Muzzle velocity

90-100 m/sec with 0.2g BB
(reference velocity)

Motor

25000 rpm Hi-torque

Gear Box Bearing

6mm Oilless

Magazine

600 Rounds



G&G ARMAMENT
AIRSOFT GUNS & ACCESSORIES



TOP TECH
ADVANCED ▲



www.GUAY2.com
100% Made in Taiwan



G&G ARMAMENT
AIRSOFT GUNS & ACCESSORIES

Photographed by
Johnson Yang / U.S.A.
(Chief Photographer)



RK104

Model No. EGK-104-STD

Material

Aluminum Alloy
Magnesium
Nylon
Fiber
Steel
Zinc
Plastic

Muzzle velocity

90-100 m/sec with 0.2g BB
(reference velocity)

Motor

25000 rpm Hi-torque

Gear Box Bearing

6mm oilless

Overall length

860mm

Magazine

600 Rounds

Weight

2774g

Inner barrel length

357mm



RK103

Model No. EGK-103-STD

Material

Aluminum Alloy
Magnesium
Nylon
Fiber
Steel
Zinc
Plastic

Muzzle velocity

90-100 m/sec with 0.2g BB
(reference velocity)

Motor

25000 rpm Hi-torque

Gear Box Bearing

6mm oilless

Overall length

985mm

Magazine

600 Rounds

Inner barrel length

463mm





G&G ARMAMENT
AIRSOFT GUNS & ACCESSORIES



Photographed by
Johnson Yang / U.S.A.
(Chief Photographer)

71



RK104 EVO
Model No. EGK-104-EVO



RK103 EVO
Model No. EGK-103-EVO

Material

Aluminum Alloy
Magnesium
Nylon
Fiber
Steel
Zinc
Plastic

Overall length

985mm (103EVO)
860mm (104EVO)

Weight

2968g (103EVO)
2898g (104EVO)

Inner barrel length

463mm (103EVO)
357mm (104EVO)

Muzzle velocity

90-100 m/sec with 0.2g BB
(reference velocity)

Motor

25000 rpm Hi-torque

Gear Box Bearing

6mm oilless

Magazine

600 Rounds



TOP TECH

ADVANCED ▲



www.GUAY2.com
100% Made in Taiwan



G&G ARMAMENT
AIRSOFT GUNS & ACCESSORIES

72

This product doesn't include Scope & Flashlight

73



G&G ARMAMENT
AIRSOFT GUNS & ACCESSORIES

www.GUAY2.com
100% Made in Taiwan

TOP TECH
ADVANCED ▲



Produced under sub-license
from ActionSportGames® A/S,
who is the worldwide exclusive
licensee for Sage International
replica airsoft guns



G&G ARMAMENT
AIRSOFT GUNS & ACCESSORIES

GR14 E.B.R. Long Ver.

Model No. EGM-014-HBA-L

74

This image supplied
from photographer
Jonathan Marmand

Material

Al6061
Aluminum Alloy
Nylon
Steel
Zinc
Plastic

Overall length

1193.8mm (L)
1006mm (S)

Inner barrel length

510mm (L)
407mm (S)

Muzzle velocity

90-100 m/sec with 0.2g BB
(reference velocity)

Weight

4500g (L)
3950g (S)

Motor

25000 rpm Hi-torque

Gear Box Bearing

7/8mm Ball Bearing

Magazine

470 Rounds

GR14 E.B.R. Short Ver.

Model No. EGM-014-HBA-S

Sage International, Ltd. M14 EBR

EBR CHASSIS STOCK

SAGE INTERNATIONAL ,LTD

Oscoda,MI 48750 Patent 6,839,998

Produced under sub-license from
ActionSportGames® A/S, who is the
worldwide exclusive licensee for Sage
International replica airsoft guns



This product doesn't include
Scope & Mount

Image Supplier :
G&G "show yourself"
photographic competition
Malgorzata Krawczyk / Poland



Material

Aluminum Alloy
Nylon
Fiber
Steel
Zinc
Plastic

Overall length

1120mm

Weight

4100g

Inner barrel length

510mm

Muzzle velocity

90-100 m/sec with 0.2g BB
(reference velocity)

Motor

25000 rpm Hi-torque

Gear Box Bearing

7/8mm ball bearing

Magazine

470 Rounds



Rifle Type 57 R.O.C. Imitation Wood Stock

Model No. EGM-014-57I



GR14 Black Stock

Model No. EGM-014-BLK



GR14 Imitation Wood Stock

Model No. EGM-014-IWS



Rifle Type 57 R.O.C. Walnut Wood Stock

Model No. EGM-014-57W

This product doesn't include Scope & Mount



GR14 Walnut Wood Stock

Model No. EGM-014-WWS

Top Tech line only

Material

Aluminum Alloy
Nylon
Fiber
Steel
Zinc
Plastic

Overall length

1120mm

Weight

4200g

Inner barrel length

510mm

Muzzle velocity

120-125m/sec with 0.2g BB (reference velocity)

Motor

25000 rpm Hi-torque

Gear Box Bearing

7/8mm ball bearing

Magazine

470 Rounds

GR14 Veteran

Model No. EGM-014-Vet

Dot-50 (3-9*50mm)Scope (optional)

G-12-009

Carbine visible laser (optional)

G-12-001

Dot-Sight (optional)

G-12-003

S.O.C.16

Model No. EGM-014-SOC

Weight

3350g

Inner barrel length

407mm

Motor

25000 rpm Hi-torque

Material

Aluminum Alloy
Nylon
Fiber
Steel
Zinc
Plastic

Overall length

930mm

Muzzle velocity

90-100 m/sec with 0.2g BB
(reference velocity)

Gear Box Bearing

7/8mm ball bearing

Magazine

470 Rounds

78

Photographed by
Johnson Yang / U.S.A.
(Chief Photographer)

This product doesn't include
Scope & Mount

77



G&G ARMAMENT
AIRSOFT GUNS & ACCESSORIES

www.GUAY2.com
100% Made in Taiwan

TOP TECH
ADVANCED ▲



COMBAT
MACHINE
INTERMEDIATE ■



G&G ARMAMENT
AIRSOFT GUNS & ACCESSORIES

Material

Aluminum Alloy
Nylon
Fiber
Steel
Zinc
Plastic

Overall length

662mm
776mm (L)

Inner barrel length

233mm
357mm (L)

Weight

2012g
2065g (L)

Muzzle velocity

90-100m/sec with 0.2g BB (reference velocity)

Motor

25000 rpm Hi-torque

Gear Box Bearing

8mm Ball Bearing

Magazine

450 Rounds

CM16 Raider-L

Model No. C-16P-RDL

CM16 Raider-L DST

Model No. C-16P-RDL-DST

CM16 Raider

Model No. C-16P-RD

CM16 Raider DST

Model No. C-16P-RD-DST



G&G ARMAMENT
AIRSOFT GUNS & ACCESSORIES





Material

Aluminum Alloy
Nylon
Fiber
Steel
Zinc
Plastic

Weight

2158g
2210g (L)
2664g (XL)

Overall length

662mm
776mm (L)
875mm (XL)

Motor

25000 rpm Hi-torque

Muzzle velocity

90-100 m/sec with 0.2g BB
(reference velocity)

Inner barrel length

233mm
357mm (L)
357mm (XL)

Gear Box Bearing

8mm Ball Bearing

Magazine

450 Rounds



GR15 Raider-XL Plastic Blow Back

Model No. EGR-15P-RXL-BB



GR15 Raider-L Plastic Blow Back

Model No. EGR-15P-RDL-BB



GR15 Raider Plastic Blow Back

Model No. EGR-15P-RD-BB

Image Supplier :
G&G "show yourself"
photographic competition
Task Force 925 / USA

81



G&G ARMAMENT
AIRSOFT GUNS & ACCESSORIES

www.GUAY2.com
100% Made in Taiwan



82

Image Supplier :
G&G "show yourself"
photographic competition
Miguel Angel Almendros Puigserver / Spain



GR15 Raider-XL DST Plastic Blow Back

Model No. EGR-15P-RXL-DST-BB



GR15 Raider DST Plastic Blow Back

Model No. EGR-15P-RD-DST-BB



GR15 Raider-L DST Plastic Blow Back

Model No. EGR-15P-RDL-DST-BB



G&G ARMAMENT
AIRSOFT GUNS & ACCESSORIES

Material

Aluminum Alloy
Nylon
Fiber
Steel
Zinc
Plastic
Stainless

Overall length

786mm

Weight

2250g

Inner barrel length

357mm

Gear Box Bearing

8mm oilless

Muzzle velocity

95-100 m/sec with 0.2g BB
(reference velocity)

Motor

25000 rpm Hi-torque

Magazine

450 Rounds

CM16 Carbine DST

Model No. C-16P-CAR-D

CM16 Carbine

Model No. C-16P-CAR

Image Supplier :
G&G "show yourself"
photographic competition
Pawel Szlag / Poland

83



G&G ARMAMENT
AIRSOFT GUNS & ACCESSORIES

www.GUAY2.com
100% Made in Taiwan



www.GUAY2.com
100% Made in Taiwan



G&G ARMAMENT
AIRSOFT GUNS & ACCESSORIES

84

Image Supplier :
G&G "show yourself"
photographic competition
101 SSWG Chivasso / Italy

GR16 Carbine Plastic Blow Back

Model No. EGR-16CP-BB

GR16 Carbine DST Plastic Blow Back

Model No. EGR-16CP-D-BB

Material

Aluminum Alloy
Nylon
Fiber
Steel
Zinc
Plastic
Stainless

Overall length

786mm

Weight

2250g

Inner barrel length

357mm

Gear Box Bearing

8mm ball bearing

Muzzle velocity

95-100 m/sec with 0.2g BB (reference velocity)

Motor

25000 rpm Hi-torque

Magazine

450 Rounds



FF16 Carbine
 Model No. EGR-16C-FFP

Material
 Aluminum Alloy
 Nylon
 Fiber
 Steel
 Zinc
 Plastic

Inner barrel length
 357mm

Gear Box Bearing
 8mm Ball Bearing

Overall length
 810mm

Magazine
 450 Rounds

Weight
 2260g

Motor
 25000 rpm Hi-torque

Muzzle velocity
 90-100 m/sec with 0.2g BB
 (reference velocity)



Femme Fatale15
 Model No. EGR-015-FFP

Femme Fatale16
 Model No. EGR-016-FFP

Material
 Aluminum Alloy
 Nylon
 Fiber
 Steel
 Zinc
 Plastic

Overall length
 662mm

Inner barrel length
 233mm

Gear Box Bearing
 8mm Ball Bearing

Magazine
 450 Rounds

Weight
 2150g

Motor
 25000 rpm Hi-torque

Muzzle velocity
 90-100 m/sec with 0.2g BB
 (reference velocity)

Femme Fatale

GR16 Carbine Light Plastic

Model No. EGP-16P-LC-COM

Material

Aluminum Alloy
Nylon
Fiber
Steel
Zinc
Plastic

Overall length

790 mm (Carbine P)
675 mm (Light P)
1000 mm (A2 P)
870 mm (R4 P)

Inner barrel length

357 mm (Carbine P)
275 mm (Light P)
510 mm (A2 P)
357 mm (R4 P)

Gear Box Bearing

8mm oilless

Weight

2600g (Carbine P)
2498g (Light P)
2680g (A2 P)
2300g (R4 P)

Magazine

450 Rounds

Motor

25000 rpm Hi-torque

Muzzle velocity

90-100 m/sec with 0.2g BB (reference velocity)

GR16 Carbine Plastic

Model No. EGR-16P-CAR

GR16 R4 Plastic

Model No. EGR-16P-R4

GR16 A2 Plastic

Model No. EGR-16P-A2



G&G ARMAMENT
AIRSOFT GUNS & ACCESSORIES

88

Image Supplier :
G&G "show yourself"
photographic competition
Igor Koziorowski / Poland

87



G&G ARMAMENT
AIRSOFT GUNS & ACCESSORIES

www.GUAY2.com
100% Made in Taiwan

COMBAT
MACHINE

INTERMEDIATE ■





Material

Aluminum Alloy
Nylon
Fiber
Steel
Zinc
Plastic

Overall length

890mm

Weight

2240g

Inner barrel length

456mm

Muzzle velocity

95-100 m/sec with 0.2g BB
(reference velocity)

Motor

25000 rpm Hi-torque

Gear Box Bearing

6mm oilless

Magazine

60 Rounds (Original)



CM RK47 Black

Model No. C-47P-BLK

CM RK47 Imitation Wood

Model No. C-47P-IWS

CM RK47 Imitation Wood

Model No. C-47P-IWS
(Transparent Ver.)

CM RK47 Black

Model No. C-47P-BLK
(Transparent Ver.)

EGM-T RK47

Model No. LET-BLU-RK47
Law Enforcement Training Model

Image Supplier :
G&G "show yourself"
photographic competition
Kanin Roman / Russia



GR14 Veteran

GR16 Carbine Plastic

GR16 Carbine Light Plastic

GR16 Carbine

UMG

GR16-T A2

Model No. LET-16P-A2
Law Enforcement Training Model

Multiple Colors and
Choices Available
**Configurations are
Order-Specific**

**Law Enforcement
Training Model**

Special Order Only
Color and Model
Available Upon
Request





Metal Forging

Metal forging creates metal parts by pressing a block of material into a mold die at high pressure. Metal forging is the mechanical deformation of metal when heated to a plastic state. However, more recently, metal forging includes similar operations done in the cold or room temperature state as well.

Plastic Injection Molding

Plastic injection molding is the primary process for manufacturing plastic parts. Plastic is known to be a very versatile and economical material that is used in many applications. Although the tooling is expensive, the cost per part is very low. Complex geometries are possible and limited only to mold manufacturability. Your computer monitor, mouse and keyboard are injection molded plastics. Injection molding involves taking plastic in the form of pellets or granules and heating this material until a melt is obtained. Then the melt is forced into a split-die chamber/mold where it is allowed to 'cool' into the desired shape. The mold is then opened and the part is ejected, at which time the cycle is repeated.

Image Supplier :
G&G "show yourself"
photographic competition
Stanislaw Gwara / Poland

91



G&G ARMAMENT
AIRSOFT GUNS & ACCESSORIES

www.GUAY2.com
100% Made in Taiwan



OEM/ODM Configuration to Order



Powder Metallurgy

Powder metallurgy uses sintering process for making various parts out of metal powder. The metal powder is compacted by placing in a closed metal cavity (the die) under pressure. This compacted material is placed in an oven and sintered in a controlled atmosphere at high temperatures and the metal powders coalesce and form a solid. A second pressing operation, repressing, can be done prior to sintering to improve the compaction and the material properties. The properties of this solid are similar to cast or wrought materials of similar composition. Porosity can be adjusted by the amount of compaction. Usually single pressed products have high tensile strength but low elongation.



G&G ARMAMENT
AIRSOFT GUNS & ACCESSORIES

CNC Machining

CNC starts with a piece of metal, sometimes called a "billet."

That piece of metal might have been cast, forged, or rolled (squeezed between rollers, sort of a limited forging, only capable of making flat things with straight grain like a board).



92

Image Supplier :
G&G "show yourself"
photographic competition
Tissot Riccardo / Italy



GA2000



G98K

COMING SOON
Exciting
2011 New Models
from G&G



G&G ARMAMENT
AIRSOFT GUNS & ACCESSORIES



GR16 C.Q.W.
Wasp



GR16 C.Q.W.
Wasp DST



GR16 C.Q.W.
Rush



GR4 G26



GR16 C.Q.W.
Rush DST



TOP TECH
ADVANCED ▲



COMBAT
MACHINE
INTERMEDIATE ■



www.GUAY2.com
100% Made in Taiwan



G&G ARMAMENT
AIRSOFT GUNS & ACCESSORIES



G&G ARMAMENT
AIRSOFT GUNS & ACCESSORIES

www.GUAY2.com
100% Made in Taiwan

Perfect BB 1kg/Pack
0.2g G-07-132 (Green)

0.25g G-07-117 (Green)
G-07-119 (Black)

0.28g G-07-106 (White)
G-07-114 (Deep Brown)
G-07-116 (Blue)

Bio BB 0.2g 1kg/Pack
Aluminum Foi

G-07-103 (White)
G-07-128 (Green)
G-07-136 (Desert Tan)

Bio BB 0.25g
1kg/Pack
Aluminum Foi
G-07-126



Tracer BB
(Can/2400 Pellets)
0.2g G-07-137 (Green)
G-07-139 (Pink)
0.25g G-07-138 (Green)

Bio BB 0.28g
1kg/Pack
Aluminum Foi
G-07-127

Bio BB 0.3g
1kg/Pack
Aluminum Foi
G-07-141

Perfect BB 3000R

0.2g G-07-107 (White)
G-07-133 (Green)

G-07-108 (White)
0.25g G-07-113 (Green)
G-07-125 (Black)

G-07-109 (White)
0.28g G-07-110 (Brown)
G-07-112 (Blue)

0.25g BB
G-07-097 (White)

0.2g BB
G-07-096 (White)

HIGH PRECISION BB PELLET 5.95mm ± 0.01mm

G&G 0.2g BIO BBs:
EU essential,
detrimental material
analysis tested &
certificated by TUV
Rheinland

G&G 0.2g BIO BBs: biodegradable
certificate tested by TUV Rheinland:
Issue soon by TUV!!



PLA product analyse process (compost environment) 60°C



PLA product analyse mechanism

Temperature	Environment	Periods
60°C	well compost Environment	47 days
40°C	Home style equipment compost	120 days
40°C	on the ground	1.3 years
15°C	trash covering place	2 years
10°C	on the cold ground	2.6 years
4°C	river.lake.Ocean	4 years